| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|-------|---|--------------------------------|---------------------|---------|------------------|
| L1 | 17997 | (remot\$4 near5 (response or answer\$3 or reply\$2)) | USPAT; EPO; JPO; DERWENT | OR | ON | 2007/10/26 22:42 |
| L2 | 15 | (remot\$4 near5 (response or answer\$3 or reply\$2)) with resolut\$4 | USPAT; EPO; JPO; DERWENT | OR | ON | 2007/10/26 22:44 |
| L3 | 0 | (((remot\$4 near5 (response or answer\$3 or reply\$2)) with resolut\$4) same fail\$3) | USPAT; EPO; JPO; DERWENT | OR | ON | 2007/10/26 22:44 |
| L4 | 2 | (remot\$4 near5 (response or answer\$3 or reply\$2)) same resolut\$4 same fail\$4 | USPAT; EPO; JPO; DERWENT | OR | ON | 2007/10/26 22:48 |
| L5 | 606 | (remot\$4 near5 (response or answer\$3 or reply\$2)) same fail\$4 | USPAT; EPO; JPO; DERWENT | OR | ON | 2007/10/26 22:48 |
| L6 | 33 | ((remot\$4 near5 (response or answer\$3 or reply\$2)) same fail\$4) same notif\$ | USPAT; EPO; JPO; DERWENT | OR | ON | 2007/10/26 22:49 |
| L7 | 10 | ((remot\$4 near5 (response or answer\$3 or reply\$2)) same fail\$4) same (notif\$ with detect\$3) | USPAT; EPO; JPO; DERWENT | OR | ON | 2007/10/26 22:50 |
| L8 | 1 | (((remot\$4 near5 (response or answer\$3 or reply\$2)) same fail\$4) same (notif\$ with detect\$3)) and (server near5 manag\$5) | USPAT; EPO; JPO; DERWENT | OR | ON | 2007/10/26 22:53 |
| L9 | 0 | (((remot\$4 near5 (response or answer\$3 or reply\$2)) same fail\$4) same (notif\$ with detect\$3)) and ((server near5 manag\$5) with format) | USPAT; EPO; JPO; DERWENT | OR | ON | 2007/10/26 22:52 |
| L10 | 14 | ((server near5 manag\$5) with(first with second with format)) | USPAT; EPO; JPO; DERWENT | OR | ON | 2007/10/26 22:53 |
| L11 | 12 | ((server near5 manag\$5) with(first with second with format)) and convert\$3 | USPAT; EPO; JPO; DERWENT | OR | ON | 2007/10/26 22:54 |
| L12 | 0 | ((server near5 manag\$5) with(first with second with format)) and (convert\$3 near4 remot\$5) | USPAT; EPO; JPO; DERWENT | OR | ON | 2007/10/26 22:54 |
| L13 | 0 | ((server near5 manag\$5) same(first with second with format)) same(convert\$3 near4 remot\$5) | USPAT; EPO; JPO; DERWENT | OR | ON | 2007/10/26 22:54 |
| L14 | 0 | ((server near5 manag\$5) same(first with second with format)) and (convert\$3 near4 remot\$5) | USPAT; EPO; JPO; DERWENT | OR | ON | 2007/10/26 22:55 |

| L15 | 34 | ((server near5 manag\$5) same(first with second with format)) | USPAT; EPO; JPO; DERWENT | OR | ON | 2007/10/26 22:55 |
|-----|------|---|--------------------------------|------|----|------------------|
| L16 | 13 | ((server near5 manag\$5) same(first with second with format)) and (manag\$5 near5 protocol) | USPAT; EPO; JPO; DERWENT | OR | ON | 2007/10/26 22:55 |
| L17 | 1 | ((server near5 manag\$5) same(first with second with format)) same (manag\$5 near5 protocol) | USPAT; EPO; JPO; DERWENT | OR | ON | 2007/10/26 22:58 |
| L18 | 1789 | (MATTHEWS and THOMAS).inv. | USPAT; EPO; JPO; DERWENT | OR . | ON | 2007/10/26 23:00 |
| L19 | 69 | (ALEXANDER and ALEX).inv. | USPAT; EPO; JPO; DERWENT | OR | ON | 2007/10/26 23:01 |
| L20 | 0 | (MATTHEWS and THOMAS).inv. and I6 | USPAT; EPO; JPO; DERWENT | OR | ON | 2007/10/26 23:00 |
| L21 | 0 | (MATTHEWS and THOMAS).inv. and I5 | USPAT; EPO; JPO; DERWENT | OR | ON | 2007/10/26 23:01 |
| L22 | 5 | (MATTHEWS and THOMAS).inv. and I1 | USPAT; EPO; JPO; DERWENT | OR | ON | 2007/10/26 23:01 |
| L23 | 2 | (ALEXANDER and ALEX).inv. and I1 | USPAT; EPO; JPO; DERWENT | OR | ON | 2007/10/26 23:01 |
| L24 | 0 | (INCISCENT).asn. and l1 | USPAT; EPO; JPO; DERWENT | OR | ON | 2007/10/26 23:01 |
| L25 | 0 | (INCISCENT).asn. | USPAT; EPO; JPO; DERWENT | OR | ON | 2007/10/26 23:02 |
| L26 | 1 | (ECUTEL).asn. | USPAT; EPO; JPO; DERWENT | OR | ON | 2007/10/26 23:14 |
| L27 | 2 | "6519635".pn. | USPAT; EPO; JPO; DERWENT | OR | ON | 2007/10/26 23:15 |
| L28 | 2 | "6654801".pn. | USPAT; EPO; JPO; DERWENT | OR | ON | 2007/10/26 23:17 |

| L29 | 20164 | (/700/222) or (700/224) or | LIC DCDUR | OB | ٥٢٢ | 2007/10/20 22:10 |
|-----|-------|---|--|----|-----|------------------|
| LZY | 28164 | ((709/223) or (709/224) or (709/217) or (709/217) or (709/229) or (707/4) or (707/10) or (707/103)).CCLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/26 23:18 |
| L30 | 5 | l29 and L10 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/26 23:19 |
| S1 | 7 | "6654801" | USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/01/07 23:58 |
| S2 | 2 | "6654801".pn. | USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/01/08 00:47 |
| S3 | 3074 | (remot\$ near5 (node or computer or device or service or client or apparatus) with (access\$3 near5 network\$3)) | USPAT; EPO; JPO; DERWENT | OR | ON | 2007/01/08 00:49 |
| S4 | 1 | (remot\$ near5 (node or computer or device or service or client or apparatus) with (access\$3 near5 network\$3)) with ((network\$ or system) near5 fail\$3) | USPAT; EPO; JPO; DERWENT | OR | ON | 2007/01/08 00:51 |
| S5 | 16 | (remot\$ near5 (node or computer or device or service or client or apparatus) with (access\$3 near5 network\$3)) same ((network\$ or system) near5 fail\$3) | USPAT; EPO; JPO; DERWENT | OR | ON | 2007/01/08 00:51 |
| S6 | 4 | (remot\$ near5 (node or computer or device or service or client or apparatus) with (access\$3 near5 network\$3)) same ((network\$ or system) near5 fail\$3) and ((transmit\$4 or send\$3 or forward\$3) near5 (messag\$3 or information or signal or data or commandor instruction)) with server | USPAT; EPO; JPO; DERWENT | OR | ON | 2007/01/08 00:53 |

| | | | I | T | 1 | |
|-----|-----|--|--------------------------------|----|----|------------------|
| S7 | 4 | (remot\$ near5 (node or computer or device or service or client or apparatus) with (access\$3 near5 network\$3)) same ((network\$ or system) near5 fail\$3) and (((transmit\$4 or send\$3 or forward\$3) near5 (messag\$3 or information or signal or data or commandor instruction)) with server) | USPAT; EPO; JPO; DERWENT | OR | ON | 2007/01/08 01:52 |
| S8 | 149 | (upon near5 fail\$) with ((transmit\$4 or forward\$3 or send\$3)near5 (messag\$3 or content or data information)) with (client or node or device or apparatus or computer) | USPAT; EPO; JPO; DERWENT | OR | ON | 2007/01/08 02:38 |
| S9 | 3 | (upon near5 fail\$) with ((transmit\$4 or forward\$3 or send\$3)near5 (messag\$3 or content or data information)) with (remot\$ near5 (client or node or device or apparatus or computer)) | USPAT; EPO; JPO; DERWENT | OR | ON | 2007/01/08 01:55 |
| S10 | 0 | (upon near5 fail\$) with ((transmit\$4 or forward\$3 or send\$3)near5 (messag\$3 or content or data information)) with (remot\$ near5 (client or node or device or apparatus or computer)) with server | USPAT; EPO; JPO; DERWENT | OR | ON | 2007/01/08 01:54 |
| S11 | 0 | (upon near5 fail\$) with ((transmit\$4 or forward\$3 or send\$3)near5 (messag\$3 or content or data information)) with (remot\$ near5 (client or node or device or apparatus or computer)) with (server or host) | USPAT; EPO; JPO; DERWENT | OR | ON | 2007/01/08 01:54 |
| S12 | 1 | (upon near5 fail\$) with ((transmit\$4 or forward\$3 or send\$3)near5 (messag\$3 or content or data information)) with (remot\$ near5 (client or node or device or apparatus or computer)) with (server or host or network or service) | USPAT; EPO; JPO; DERWENT | OR | ON | 2007/01/08 01:54 |
| S13 | 14 | (upon near5 fail\$) with ((transmit\$4 or forward\$3 or send\$3)near5 (messag\$3 or content or data information)) with (client or node or device or apparatus or computer) same server | USPAT; EPO; JPO; DERWENT | OR | ON | 2007/01/08 02:38 |

| S14 | 5 | (upon near5 fail\$) with ((transmit\$4 or forward\$3 or send\$3)near5 (messag\$3 or content or data information)) with (client or node or device or apparatus or computer) same server and (solution) | USPAT; EPO; JPO; DERWENT | OR | ON | 2007/01/08 02:39 |
|-----|-----|--|--|------|------|------------------|
| S15 | 5 | (upon near5 fail\$) with ((transmit\$4 or forward\$3 or send\$3)near5 (messag\$3 or content or data information)) with (client or node or device or apparatus or computer) same server and (solution or resolv\$3) | USPAT; EPO; JPO; DERWENT | OR | ON . | 2007/01/08 02:39 |
| S16 | 5 | (upon near5 fail\$) with ((transmit\$4 or forward\$3 or send\$3)near5 (messag\$3 or content or data information)) with (client or node or device or apparatus or computer) same server and (solution or resolv\$3 or solv\$3) | USPAT; EPO; JPO; DERWENT | OR | ON . | 2007/01/08 02:39 |
| S17 | 391 | translat\$3 near5 (updat\$3 adj3 table) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/04 05:33 |
| S18 | 0 | (translat\$3 near5 (updat\$3 adj3 table)) with instruction with command | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/04 05:34 |
| S19 | 4 | (translat\$3 near5 (updat\$3 adj3 table)) same instruction with command | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR . | ON | 2007/09/04 05:34 |
| S20 | 0 | (translat\$3 near5 (updat\$3 adj3 table)) same instruction with command and (network\$3 near5 manag\$) | US-PGPUB; -USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/04 05:35 |

| S21 | 0 | (translat\$3 near5 (updat\$3 adj3 table)) same instruction same command and (network\$3 near5 manag\$) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/04 05:35 |
|-----|----|--|--|----|------|------------------|
| S22 | 0 | (translat\$3 near5 (updat\$3 adj3 table)) same (instruction same command)and (network\$3 near5 manag\$) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/04 05:35 |
| S23 | 0 | (translat\$3 near5 (updat\$3 near5 table)) same (instruction same commanḍ)and (network\$3 near5 manag\$) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/04 05:36 |
| S24 | 0 | (translat\$3 near5 (updat\$3 near5 (table or database))) same (instruction same command)and (network\$3 near5 manag\$) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/04 05:36 |
| S25 | 18 | (translat\$3 near5 ((table or database))) same (instruction same command)and (network\$3 near5 manag\$) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/04 05:36 |
| S26 | 7 | (translat\$3 near5 ((table or database))) same (instruction with command)and (network\$3 near5 manag\$) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/04 05:59 |
| S27 | 2 | "6654801".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON . | 2007/09/04 05:59 |